WEST Search History



DATE: Monday, August 02, 2004

Hide?	Hit Count							
DB=PGPB,USPT; PLUR=YES; OP=ADJ								
	L13	111 and virus	6					
	L12	L11 and insect	6					
	L11	spindle body or spindle bodies	558					
	L10	15 and (spindle body or spindle bodies)	0					
	L9	12 and (spindle body or spindle bodies)	1					
	L8	16 and (spindle bodies or spindle body)	0					
	L7	L6 and bip	37					
	L6	L5 and feed\$	270					
	L5	L4 and virus	670					
	L4	L2 and transgenic	693					
	L3	L2 and fusolin	1					
	L2	L1 and plant	1371					
	L1	spindle and insect	2061					

END OF SEARCH HISTORY

Welcome to STN International! Enter x:x

LOGINID:ssspta1649axm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                Web Page URLs for STN Seminar Schedule - N. America
NEWS 1
                "Ask CAS" for self-help around the clock
NEWS 2
NEWS 3 May 12 EXTEND option available in structure searching
NEWS 4 May 12 Polymer links for the POLYLINK command completed in REGISTRY
NEWS 5 May 27 New UPM (Update Code Maximum) field for more efficient patent
                SDIs in CAplus
               CAplus super roles and document types searchable in REGISTRY
NEWS 6 May 27
    7 Jun 28 Additional enzyme-catalyzed reactions added to CASREACT
NEWS
NEWS 8 Jun 28 ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG,
                and WATER from CSA now available on STN(R)
NEWS 9 Jul 12 BEILSTEIN enhanced with new display and select options,
                resulting in a closer connection to BABS
NEWS 10 Jul 30 BEILSTEIN on STN workshop to be held August 24 in conjunction
                with the 228th ACS National Meeting
                IFIPAT/IFIUDB/IFICDB reloaded with new search and display
NEWS 11 AUG 02
                fields
NEWS 12 AUG 02 CAplus and CA patent records enhanced with European and Japan
                Patent Office Classifications
                STN User Update to be held August 22 in conjunction with the
NEWS 13
       AUG 02
                228th ACS National Meeting
NEWS 14 AUG 02 The Analysis Edition of STN Express with Discover!
                 (Version 7.01 for Windows) now available
             JULY 30 CURRENT WINDOWS VERSION IS V7.01, CURRENT
NEWS EXPRESS
             MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
             AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS
             STN Operating Hours Plus Help Desk Availability
NEWS INTER
             General Internet Information
             Welcome Banner and News Items
NEWS LOGIN
             Direct Dial and Telecommunication Network Access to STN
NEWS PHONE
             CAS World Wide Web Site (general information)
NEWS WWW
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 17:20:36 ON 02 AUG 2004

=> file agricola caplus biosis COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FILE 'AGRICOLA' ENTERED AT 17:20:49 ON 02 AUG 2004

FILE 'CAPLUS' ENTERED AT 17:20:49 ON 02 AUG 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 17:20:49 ON 02 AUG 2004 COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC.(R)

=> s insect and virus L1 11852 INSECT AND VIRUS

=> s l1 and plant? L2 3391 L1 AND PLANT?

=> s 12 and transgenic L3 285 L2 AND TRANSGENIC

=> s 13 and fusolin L5 0 L3 AND FUSOLIN

=> d ti

L7 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN TI Recombinant entomopoxvirus

=> d ab

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN L7 Entompoxviruses (EPV) carrying heterologous genes integrated into AB non-essential regions of their genomes are described for use in biol. insecticides and in the manufacture proteins and peptides in cell culture. The preferred virus is Heliothis armigera EPV (HaEPV) and the preferred sites of integration are the pll.5 open reading frame, the thymidine kinase gene, the spindle protein gene, and the intergenic region. Cloning and characterization of the HaEPV genome and its products is described. Transfer vectors based on a large BglII fragment of the viral genome were constructed and used to introduce the GUS gene into the intergenic region between the p11.5 ORF and the spindle protein gene. preparation of viruses carrying genes for an antibody to the influenza virus neuraminidase or a gene for the juvenile hormone esterase of Heliothis virescens were demonstrated.

=> d pi

```
KP, KR, KZ, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, VN
    RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE,
        BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG
AU 9342973
                       A1
                             19940104
                                        AU 1993-42973
                                                                     19930615
AU 668734
                       B2
                              19960516
EP 646172
                      A1
                             19950405
                                         EP 1993-912434
                                                                    19930615
    R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE
JP 08501204
                      T2 19960213 JP 1993-500891
                                                                    19930615
                    A 19990112 BR 1993-6558
A 19940117 ZA 1993-4279
A 19940309 CN 1993-109028
A 19980609 US 1994-356180
BR 9306558
                                                                    19930615
ZA 9304279
                                                                    19930616
CN 1083527
                                                                    19930616
US 5762924
                                                                    19941216
```

=> s fusolin

L8 47 FUSOLIN

=> dup rem 18

PROCESSING COMPLETED FOR L8

L9 28 DUP REM L8 (19 DUPLICATES REMOVED)

=> s 19 and insect

L10 12 L9 AND INSECT

=> d 1-12 ti

- L10 ANSWER 1 OF 12 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- TI Identification, molecular cloning, and transcription analysis of the Choristoneura fumiferana nuclear polyhedrosis virus spindle-like protein gene.
- L10 ANSWER 2 OF 12 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- TI The Melolontha melolontha entomopoxvirus (MmEPV) fusolin is related to the fusolins of Lepidopteran EPVs and to the 37K baculovirus glycoproteins.
- L10 ANSWER 3 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Progress in studies of gp37/fusolin genes of insect viruses
- L10 ANSWER 4 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Identification and characterization of phytoplasmal genes, employing a novel method of isolating phytoplasmal genomic DNA
- L10 ANSWER 5 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Expression of the **fusolin** gene of Choristoneura fumiferana entomopoxvirus in the baculovirus **insect** cell system
- L10 ANSWER 6 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Insect-virus relationships: sifting by informatics
- L10 ANSWER 7 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Baculovirus fusolins as antifeedants and their use in the development of insect resistant plants
- L10 ANSWER 8 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI The spheroidin of an entomopoxvirus isolated from the grasshopper

Anacridium aegyptium (AaEPV) shares low homology with spheroidins from lepidopteran or coleopteran EPVs

- L10 ANSWER 9 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Infectious, spindle body-producing recombinant entomopoxvirus, and uses thereof for controlling the proliferation of pest insects and/or producing biologically-active proteins
- L10 ANSWER 10 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Transient, nonlethal expression of genes in vertebrate cells by recombinant entomopoxviruses
- L10 ANSWER 11 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Glycoprotein promoting infection by insect virus
- L10 ANSWER 12 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Recombinant entomopoxvirus
- => s 19 and virus L11 11 L9 AND VIRUS
- => del 111 y
- => d 3 ab
- Answer 3 Of 12 Caplus copyright 2004 Acs on STN

 A review discusses the insect baculovirus and entomopoxvirus gp37/fusolin genes, which encode GP37/Fusolin proteins that form spindle bodies (SBs).. SBs formed by Fusolin and purified Fusolin protein can improve the sensitivities of target insects to baculoviruses. It was proposed that GP37 proteins, like Fusolin, have an accessory function that is not required for viral replication and it may be possible to adapt the function of GP37/Fusolin for human advantage by using the presence of increased or alternate GP37/Fusolin proteins as "adjuvants" for viral biopesticides.
- => d 3 so
- L10 ANSWER 3 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN SO Zhongguo Shengwu Gongcheng Zazhi (2003), 23(11), 16-18 CODEN: ZSGZAW; ISSN: 1671-8135
- => d 5 ab
- L10 ANSWER 5 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN

 AB The **fusolin** (fus) gene of Choristoneura fumiferana entomopoxvirus was cloned and expressed in **insect** cells via the baculovirus expression vector system using the polh promoter. A PstI / EcoRI restriction enzyme fragment (1115 bp) which includes the fus gene was cloned into pBlueBac4.5. This engineered plasmid and linearized DNA of Autographa californica nuclear polyhedrosis virus (AcNPV) were cotransfected into Spodoptera frugiperda cells. Selection and purification of high level recombinant baculovirus were performed by polymerase chain reaction and plaque assay. Expression of the **fusolin** protein (approx. 38 kDa polypeptide) in S. frugiperda cells was determined by SDS-PAGE.
- => d 5 so

SO Biologia (Bratislava, Slovakia) (2001), 56(6), 637-642 CODEN: BLOAAO; ISSN: 0006-3088

=> d7 ab

ANSWER 7 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN

AB Plants are disclosed which are capable of expressing, in a tissue or tissues susceptible to damage by feeding insects, an exogenous protein(s) such as fusolin or a fusolin-like protein, to reduce damage to the plant by inhibiting feeding, growth and/or development of insects. Feed baits comprising spindle bodies, spindle-like bodies or constituent protein(s) thereof which inhibit feeding, growth and/or development of insects are also disclosed. Fusolins are shown to be effective antifeedants for larvae of a number of insect pests.

=> d 7 so

L10 ANSWER 7 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN SO PCT Int. Appl., 47 pp. CODEN: PIXXD2

=> d 7 pi

L10	ANS	WER '	7 OF	12	CAPLUS COPYRIGHT 2004 ACS on STN													
	PATENT NO. KIN					D DATE APPLICATION NO.							DATE					
							-											
ΡI	WO	WO 2000053000				A1 20000914			WO 2000-AU181						20000310			
		W:	ΑE,	AL,	AM,	ΑT,	AU,	AZ,	BA,	BB,	ВG,	BR,	BY,	CA,	CH,	CN,	CR,	CU,
			CZ,	DE,	DK,	DM,	DZ,	EE,	ES,	FI,	GB,	GD,	GΕ,	GH,	GM,	HR,	HU,	ID,
			ΙL,	IN,	IS,	JΡ,	ΚE,	KG,	ΚP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,
			MA,	MD,	MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,
			SI,	SK,	SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	ŪĠ,	US,	UΖ,	VN,	YU,	ZA,	ZW,
			AM,	ΑZ,	BY,	KG,	ΚZ,	MD,	RU,	TJ,	TM							
		RW:	GH,	GM,	KΕ,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	ΑT,	BE,	CH,	CY,	DE,
			DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	ΙT,	LU,	MC,	ΝL,	PT,	SE,	BF,	ВJ,	CF,
			CG,	CI,	CM,	GΑ,	GN,	GW,	ML,	MR,	ΝE,	SN,	TD,	TG				
	EΡ	EP 1158850				A1	:	2001	1205		EP 2	000-	9088	24		20	0000	310
		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
			ΙE,	SI,	LT,	LV,	FI,	RO										
	NZ	51393	513932					2002	0726	:	NZ 2	000-	5139	32		20	0000	310
	JP	2002537860				T2	:	2002	1112	JP 2000-603500 20000					0000	310		

=> d 9 ab

L10 ANSWER 9 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN

The invention provides an infectious, spindle body-producing recombinant entomopoxvirus, particularly Heliothis armigera (HaEPV), wherein heterologous DNA is inserted within the intergenic region between the fusolin gene and the p68 gene. The heterologous DNA used in the methods of the invention may encode insecticidal toxins, insect neurohormones, and neurohormonal-interacting proteins. Recombinant entomopoxviruses comprising such heterologous DNA are useful for controlling the proliferation of pest insects. The heterologous DNA may also encode biol.-active proteins, such as interferons, tissue plasminogen activator, lymphotoxin, insulin, human growth hormone, etc. Recombinant entomopoxviruses comprising such heterologous DNA are useful in the production of desired biol.-active proteins, polypeptides and peptides in cell culture.

=> d 9 so

L10 ANSWER 9 OF 12 CAPLUS COPYRIGHT 2004 ACS on STN SO PCT Int. Appl., 84 pp.

CODEN: PIXXD2

=> d 9 pi

L10 ANSWER 9 OF 12 CAPLUS COPYRIGHT 2004 ACS ON STN
PATENT NO. KIND DATE APPLICATION NO. DATE

PI WO 9963062 A1 19991209 WO 1999-AU416 19990528

W: AU, CA, JP, US
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
PT, SE
AU 9941239 A1 19991220 AU 1999-41239 19990528

=> dis his

(FILE 'HOME' ENTERED AT 17:20:36 ON 02 AUG 2004)

L9 28 DUP REM L8 (19 DUPLICATES REMOVED) L10 12 S L9 AND INSECT

=> s fusolin-like

L11 3 FUSOLIN-LIKE

=> dup rem 111

PROCESSING COMPLETED FOR L11

L12 3 DUP REM L11 (0 DUPLICATES REMOVED)

=> d 1-3 ti

- L12 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Baculovirus fusolins as antifeedants and their use in the development of insect resistant plants
- L12 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Molecular cloning and analysis of genes upstream of chiA in Alteromonas sp. strain 0-7
- L12 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN TI Glycoprotein promoting infection by insect virus

=> d pi

L12 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
PATENT NO. KIND DATE APPLICATION NO. DATE

PI WO 2000053000 A1 20000914 WO 2000-AU181 20000310

W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID,

```
IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV,
            MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG,
            SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW,
            AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
        RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
            DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
            CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                            20011205 EP 2000-908824
                        A1
                                                                 20000310
     EP 1158850
            AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, SI, LT, LV, FI, RO
                               20020726
                                          NZ 2000-513932
                                                                 20000310
     NZ 513932
                         Α
                         T2
                                          JP 2000-603500
                               20021112
                                                                 20000310
     JP 2002537860
=> d 3 so
L12 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
     Kagaku to Seibutsu (1996), 34(9), 562-564
     CODEN: KASEAA; ISSN: 0453-073X
=> d 3 a
'A' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'
The following are valid formats:
ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
             SCAN must be entered on the same line as the DISPLAY,
             e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, IPC, and NCL
IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels
OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels
SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations
HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
             containing hit terms
HITRN ----- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and
```

its structure diagram

HITSEQ ----- HIT RN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields

FHITSTR ---- First HIT RN, its text modification, its CA index name, and its structure diagram

FHITSEQ ---- First HIT RN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields

KWIC ----- Hit term plus 20 words on either side

OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):ab

L12 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

AB A review with 7 refs. on enhancement nuclear polyhedrosis virus infection to Pseudaletia separata by 38-kDa glycoprotein of pox virus, its homol. with fusolin, and possible use of the glycoprotein as an enhancer for viral insecticides.

=> s virus and (spindle body or spindle bodies)
L13 4 VIRUS AND (SPINDLE BODY OR SPINDLE BODIES)

=> dup rem 1143 L143 IS NOT VALID HERE The L-number entered has

The L-number entered has not been defined in this session, or it has been deleted. To see the L-numbers currently defined in this session, enter DISPLAY HISTORY at an arrow prompt (=>).

=> dup rem 113 PROCESSING COMPLETED FOR L13 L14 2 DUP REM L13 (2 DUPLICATES REMOVED)

=> d 1-2 ti

L14 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN TI Recombinant entomopoxvirus

L14 ANSWER 2 OF 2 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

(2004) on STN DUPLICATE 1

TI A gene encoding a highly expressed **spindle body** protein of Heliothis armigera entomopoxvirus.

=> d 2 ab

L14 ANSWER 2 OF 2 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

(2004) on STN DUPLICATE 1

AB The gene encoding the most abundant protein of purified preparations of Heliothis armigera entomopoxvirus (HaEPV) has been cloned and sequenced. The gene sequence encodes a 40.1K polypeptide with a putative N-terminal

20 amino acid leader peptide, and a single potential N-glycosylation site. Analysis of the protein, which has an apparent Mr of 50K on polyacrylamide gels, confirmed post-translational loss of the leader peptide, but showed no evidence of glycosylation. The protein is related to others previously described from Choristoneura biennis EPV (63% identity) and Autographa californica nuclear polyhedrosis virus (42% identity). Polyclonal antiserum raised against a bacterial fusion protein containing the majority of the HaEPV protein specifically labelled HaEPV spindle bodies; confocal laser scanning microscopy suggests that the protein is distributed throughout those viral structures.

=> d 2 so

- L14 ANSWER 2 OF 2 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN DUPLICATE 1
- SO The Journal of general virology, Sept 1993. Vol. 74, No. pt.9. p. 1811-1818

Publisher: Reading: Society for General Microbiology. CODEN: JGVIAY; ISSN: 0022-1317

=> s ((dall d?) or (dall, d?))/au L15 73 ((DALL D?) OR (DALL, D?))/AU

=> s l15 and (spindle body or spindle bodies)
L16 8 L15 AND (SPINDLE BODY OR SPINDLE BODIES)

=> dup rem 116 PROCESSING COMPLETED FOR L16 L17 5 DUP REM L16 (3 DUPLICATES REMOVED)

=> d 1-5 ti

- L17 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Baculovirus fusolins as antifeedants and their use in the development of insect resistant plants
- L17 ANSWER 2 OF 5 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN DUPLICATE 1
- TI **spindle bodies** of Heliothis armigera entomopoxvirus develop in structures associated with host cell endoplasmic reticulum.
- L17 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Infectious, **spindle body**-producing recombinant entomopoxvirus, and uses thereof for controlling the proliferation of pest insects and/or producing biologically-active proteins
- L17 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Recombinant entomopoxvirus
- L17 ANSWER 5 OF 5 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN DUPLICATE 2
- TI A gene encoding a highly expressed **spindle body** protein of Heliothis armigera entomopoxvirus.

L17 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN PATENT NO. KIND DATE APPLICATION NO. ______ 20000914 WO 2000-AU181 20000310 PΙ WO 2000053000 A1 W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG 20000310 A1 20011205 EP 2000-908824 EP 1158850 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO NZ 2000-513932 Α 20020726 20000310 NZ 513932 T220021112 JP 2000-603500 20000310 JP 2002537860

=> d 2 ab

L17 ANSWER 2 OF 5 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

(2004) on STN DUPLICATE 1

=> d 2 aso

'ASO' IS NOT A VALID FORMAT

In a multifile environment, a format can only be used if it is valid in at least one of the files. Refer to file specific help messages or the STNGUIDE file for information on formats available in individual files.

REENTER DISPLAY FORMAT FOR ALL FILES (FILEDEFAULT):so

- L17 ANSWER 2 OF 5 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN DUPLICATE 1
- SO Journal of invertebrate pathology, Apr 2000. Vol. 75, No. 3. p. 183-192 Publisher: Orlando, Fla.: Academic Press. CODEN: JIVPAZ; ISSN: 0022-2011

=> d 5 so

- L17 ANSWER 5 OF 5 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN DUPLICATE 2
- SO The Journal of general virology, Sept 1993. Vol. 74, No. pt.9. p. 1811-1818

 Publisher: Reading: Society for General Microbiology

Publisher: Reading: Society for General Microbiology. CODEN: JGVIAY; ISSN: 0022-1317

=> s l15 and (fusolin or fusolin-like)
L18 9 L15 AND (FUSOLIN OR FUSOLIN-LIKE)

=> dup rem 118 ENTER L# LIST OR (END):end => dup rem 118
PROCESSING COMPLETED FOR L18
L19 6 DUP REM L18 (3 DUPLICATES REMOVED)

=> d 1-6 ti

- L19 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 1
 TI Assessment of foreign protein production by recombinant Heliothis
 (Helicoverpa) armigera entomopoxviruses in Spodoptera frugiperda cells
- L19 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 2
- TI Insect-virus relationships: sifting by informatics
- L19 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Baculovirus fusolins as antifeedants and their use in the development of insect resistant plants
- L19 ANSWER 4 OF 6 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2004) on STN DUPLICATE 3
- TI Spindle bodies of Heliothis armigera entomopoxvirus develop in structures associated with host cell endoplasmic reticulum.
- L19 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Infectious, spindle body-producing recombinant entomopoxvirus, and uses thereof for controlling the proliferation of pest insects and/or producing biologically-active proteins
- L19 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Recombinant entomopoxvirus